SFHGL
Société Française
d'Hépato-Gastroentérologie Libérale
LA MINUTE HÉPATO
L'AASLD et L'EASL en direct et en quelques minutes chaque jour

MASH et obésité : évaluer l'hypertension portale significative

AASLD 2026 – Krairaweengarmwijitr K et al. Abst. 1638

HTP cliniquement significative



Abraldes Hepatology 2016

Élasticité splénique : sonde 100 Hz

Elasticité splénique





Jachs et al., Lancet Gastro Hepatol 2024

ANTICIPATE Score

SFHGL Société Française d'Hépato-Gastroentérologie Libérale
La minute hépato
L'AASLD et L'EASL en direct et en quelques minutes chaque jour

Vall d'Hebron Barcelona Hospital Campus — Liver Unit
Vall d'Hebron Hospital — Liver Diseases Group

Liver Unit
Vall d'Hebron University Hospital

EN | ES

Home | Meetings | Resources

ANTICIPATE Calculator

ANTICIPATE and ANTICIPATE-NASH models to predict the risk of clinically significant hypertension (CSPH) and risk of liver-related events (LRE) in patients with compensated adv chronic liver disease (cACLD)

https://www.bcn-liverhuvh.com/resources

ANTICIPATE Model

LSM (kPa)
26

Platelet count (x10^9/L)
150
if platelet count>150*10^9/L, please enter value = 150

Calculate | Reset

Risk of CSPH (%) 67

ANTICIPATE-LRE

Risk of LRE at 3 years of follow-up (%) 9

ANTICIPATE-NASH Model

LSM (kPa)
26

Platelet count (x10^9/L)
152

BMI (kg/m^2)
36

Calculate | Reset

Risk of CSPH (%) 52

ANTICIPATE-NASH-LRE

Risk of LRE at 3 years of follow-up (%) 6